

MS 260

MODELS

24V | 36V | 48V | 48V XL

LITHIUM

48V | 48V XL



THE GAME-CHANGING STOCK CHASER.

This stand-up stock chaser / order picker is famous for its versatility. That's because the MS-260 does everything a workday could ask for. It can easily tow up to 6,000 lbs. and carry up to 2,000 lbs. It also comes equipped with all the features operators need to make their job easier: 59" deck, dual front wheels, short turning radius, light touch controls, padded backrest, ergonomic driving position and low-step entry. Also standard? Leaf spring suspension, integrated 2-step ladder, loading anchors, USB charger, storage compartments and fully protected electrical components. And because it's a Motrec, it's also fully customizable.

MODELS	LOAD CAPACITY (lbs.)	TOWING CAPACITY (lbs.)	PASSENGERS	SPEED (mph)	TURNING RADIUS (in)
24V	1,250	2,500	1	8	60
36V	1,500	6,000	1	8	60
48V	1,750	6,000	1	8	60
48V XL	2,000	6,000	1	8	63.5
48V LITHIUM	1,750	6,000	1	8	60
48V XL LITHIUM	2,000	6,000	1	8	63.5

FEATURES

- Stability-boosting dual front wheels
- Energy-saving regenerative braking
- Built-to-last all-steel unibody construction
- Recessed dual headlights
- USB and 12V aux chargers, backlit and sealed buttons
- 2-step ladder on backrest
- EE rating available



CONTACT US 1 866 846-3558

MOTREC.COM

SPECIFICATIONS


MS 260

PERFORMANCE		24V	36V	48V	48V XL
	LOAD CAPACITY	1,250 lbs	1,500 lbs	1,750 lbs	2,000 lbs
	TOWING CAPACITY	2,500 lbs	6,000 lbs	6,000 lbs	6,000 lbs
	DRAWBAR PULL - REGULAR	120 lbs	150 lbs	150 lbs	150 lbs
	DRAWBAR PULL - ULTIMATE	500 lbs	500 lbs	500 lbs	500 lbs
	SPEED	8 mph	8 mph	8 mph	8 mph
	TURNING RADIUS	60"	60"	60"	63,5"
	PASSENGERS	1	1	1	1

GROUPE MOTOPROPULSEUR					
MOTOR	Shunt motor	6 hp	10 hp		
	Brushless AC motor			15 hp	15 hp
CONTROLLER	SEPEX Electronic speed controller	✓	✓		
	Electronic AC speed controller			✓	✓
DRIVE AXLE	Helical gear differential	✓	✓	✓	✓
BRAKES	Self-adjusting H.D. drum brakes, automatic parking brake, regenerative braking	✓	✓	✓	✓
WHEELS	Pneumatic LRC tires	✓	✓	✓	✓
TRANSMISSION	Direct drive	✓	✓	✓	✓
SUSPENSION	Leaf springs rear suspension system	✓	✓	✓	✓
BATTERIE	6V-225AH batteries	4 batteries	6 batteries	8 batteries	8 batteries
CHARGER	High-frequency (85-265VAC / 45-65Hz, 1kw), built-in and automatic	✓	✓	✓	✓

CHASSIS					
WEIGHT	Weight without batteries	670 lbs	670 lbs	670 lbs	920 lbs
BODY	All-steel unibody construction. Powder Coating.	✓	✓	✓	✓
COLOR	Security orange or federal yellow (optional colors available)				
LIGHTS	LED dual headlights	✓	✓	✓	✓

OPERATOR COMPARTMENT					
STEERING	Automotive steering wheel	✓	✓	✓	✓
SEATS	Padded backrest	✓	✓	✓	✓
	Battery status indicator	✓	✓		
INDICATORS	Multifunction display including speedometer, battery state of charge, hour meter, odometer and fault warnings. Password-protected parameters and monitoring capability			✓	✓
SAFETY	Reverse alarm, deadman foot switch, horn, emergency stop button, jam-free pedal, anti slip griptape, charging interlock switch	✓	✓	✓	✓
ACCESSORIES	USB charger, backlit and sealed buttons	✓			
	USB charger, DC/DC converter for 12-volt accessories, backlit and sealed buttons		✓	✓	✓



SPECIFICATIONS

MS 260

LITHIUM

PERFORMANCE

	48V	48V XL
 LOAD CAPACITY	1,750 lbs	2,000 lbs
 TOWING CAPACITY	6,000 lbs	6,000 lbs
 DRAWBAR PULL - REGULAR	150 lbs	150 lbs
 DRAWBAR PULL - ULTIMATE	500 lbs	500 lbs
 SPEED	8 mph	8 mph
 TURNING RADIUS	60"	63,5"
 PASSENGERS	1	1

GROUPE MOTOPROPULSEUR

MOTOR	Brushless AC motor	15 hp	15 hp
CONTROLLER	Electronic AC speed controller	✓	✓
DRIVE AXLE	Helical gear differential	✓	✓
BRAKES	Self-adjusting H.D. drum brakes, automatic parking brake, regenerative braking	✓	✓
WHEELS	Pneumatic LRC tires	✓	✓
TRANSMISSION	Direct drive	✓	✓
SUSPENSION	Leaf springs rear suspension system	✓	✓
BATTERIES	48V-120Ah Lithium-ion 6.2Kwh or 48V-180Ah Lithium-ion 9.3Kwh	✓	✓
CHARGER	48V High-frequency on-board charger 1.2Kwh or 2.4Kwh*	✓	✓

CHASSIS

WEIGHT	Weight without batteries	670 lbs	920 lbs
BODY	All-steel unibody construction. Powder Coating.	✓	✓
COLOR	Security orange or federal yellow (optional colors available)		
LIGHTS	LED dual headlights	✓	✓

OPERATOR COMPARTMENT

STEERING	Automotive steering wheel	✓	✓
SEATS	Padded backrest	✓	✓
INDICATORS	Multifunction display including speedometer, battery state of charge, hour meter, odometer and fault warnings. Password-protected parameters and monitoring capability	✓	✓
SAFETY	Reverse alarm, deadman foot switch, horn, emergency stop button, jam-free pedal, anti slip griptape, charging interlock switch	✓	✓
ACCESSORIES	USB charger, DC/DC converter for 12-volt accessories, backlit and sealed buttons	✓	✓



**Longer
autonomy**



**Zero
maintenance**



**Longer
lifespan**



**100%
recyclable**



**Faster charging and
opportunity charging**



**Increased energy
efficiency**



*** An EV charging station is required
for fast charging. It must be purchased
separately as an option.**

POPULAR OPTIONS

READY FOR EVEN MORE

MS 260

MODELS

24V | 36V | 48V | 48V XL

LITHIUM

48V | 48V XL



- 4 **LIGHTS**
Maximize vehicle visibility & everyone's safety with a blue safety light, strobe light, tail and brake lights and more.
- 5 **HITCHES & QUICK HITCH RELEASE**
A must-have for attaching a trailer to boost cargo capacity. A wide range of hitches & hitch accessories to make attaching loads quick, easy & worry free.
- 6 **WHEELS**
Motrec offers a wide range of wheels to handle your specific use: non-marking solid tire wheel, rubber solid tire wheel, pneumatic on rim, traction tire, and more.



For compatibility, please contact your Motrec dealer. Options may vary from illustrations provided.

PERFORMANCE

- TOWING CAPACITY up to 6,000 lbs.
- LOAD CAPACITY up to 2,000 lbs.
- DECK SIZE 59" x 30"
- SPEED 8 mph
- TURNING RADIUS 60"

RECOMMENDED INDUSTRIES



Courier services



Warehousing, logistics and distribution



Greenhouses, agriculture & plan nursery



1 866 846-3558
MOTREC.COM

NEW MODEL

READY FOR EVEN MORE

MS 260

MODELS
48V XL

Available in

LITH[⚡]UM

The new MS-260 XL allows you to be more efficient by carrying more cargo on each trip. In fact, its enlarged platform is 45 inches wide, 15 inches wider than the standard version.

All the options of the standard model are also available for the MS-260 XL version



PERFORMANCE

- TOWING CAPACITY** 6,000 lbs.
- LOAD CAPACITY** 2,000 lbs.
- DECK SIZE** 59" x 45"
- SPEED** 8 mph
- TURNING RADIUS** 63.5"

For compatibility, please contact your Motrec dealer. Options may vary from illustrations provided.



UNBEATABLE VEHICLES BACKED BY UNBEATABLE WARRANTIES

3-Year limited warranty on all Motrec vehicles with AC technology, our MS-260 stock chaser and all Motrec trailers.



1 866 846-3558
MOTREC.COM